

hygiene



Dear customer;

We have made all innovations in quality and product development stages in line with the feedback and suggestions of our valuable users. We would like to take this opportunity to thank our esteemed Turkish doctors for their contributions; hope to receive your support, suggestions and criticism with sensitivity.

About 40 years of experience in the sector as a manufacturer with the highest quality, TMT Tibbi Medikal Malz. San. A.Ş. has gained an important share in the international market as well as in our country in a short time. We are proud to have gained the rightful trust in nearly 100 countries all over the world with the

Societies that want to live well without working, getting tired and producing are doomed to lose their dignity first, then their freedom and then their independence and future.

Contents

- 1 _____ **JASMINE**® Cleanroom Clogs
- 2 ______ UNITEM® Cleanroom Clogs
- 3 _____ THREE STEP Re-Usable Cleanroom Mats





clogs with heel strap



suitable for autoclave sterilization / optional heel strap

specifications

Resistant to heat : 134 °C Specific Gravity : 0,94 SHA Strength : 65

Elasticity Under Pressure : 44 kg/cm²
Breaking Point Under Pressure : 100 kg/cm²
Max. Flexibility : % 800

: 160 mm³

Force At Tearing Point : 610
Strength Against Wearing : Excellent
Strength Against Ultraviolet Rays : Excellent

Strength Against Scratches

Strength Against Heavy Acids : Good
Strength Against Light Acids : Excellent
Strength Against Bases : Excellent
Strength Against Ethers : Good
Strength Against Esters : Good

SIZES: 35-36 37-38 39-40 41-42 43-44 45-46



Anatomic design has been created to provide unique comfort. Superior air circulation provided by increased hole number.

Technical specifications:

Jasmine and Unitem clogs can be sterilized at 121° and 134°. They can also be cleaned in 100° with any domestic or industrial type detergent. Besides, they can be sterilized with liquid disinfecting solutions, EO or formaldehyde.

Guarantee

2 years guarantee against manufacturing defects

Material

It is made of anti-static and anti-microbial special material which is halogen-free and non-flammable.















numaralar: 36-37 38-39 42-43 40-41
























re-usable clean room mats

THREE STEP



- Three Step contamination preventive mats have high friction power.
- Surface is constantly sticky and can be cleaned with all kind of detergents.
- Stickiness is re-established on cleaned surface and this procedure can be repeated for 5 years.
- Even surface captures particles with electromagnetic traction; this procedure is known as the "VAN DER WAALS" theory. When smooth surface meets rough surface, it draws 98% 100% of particles on rough surface (minimum 3 steps)
- Anti-static. Protects employees from damages of static electricity.
- Antibacterial. Prevents bacterial procreation and dissemination. Tested on (PSEUDONOMAS AERUGONASA and STAPHYLOCORCUS AUREUS)
- Three Step Mats are supposed to be used at the entrance of clean rooms and operating theaters with the purpose to prevent the entrance of particles into these areas.
- I Highly economic according to daily cost calculations.







TMT

TIBBİ MEDİKAL MALZEMELER SAN. VE TİC. A.Ş. Fatih Mahallesi 1188 Sokak No: 14 Sarnıç - Gaziemir - İZMİR / TURKEY

phone: +90 232 259 32 10 - + 90 232 278 15 93 fax: +90 232 277 47 15 - + 90 232 279 32 08

www.egemen.com.tr - info@egemen.com.tr

KGF – 731001/15.04.2019/07 Publishing Date: 01.05.2019







